



Acrylic | Polyurethane

Systems and Coatings
for Sports Floorings

T: +971 55 560 8726 | P: +971 4 339 8019

E: sales@versatilegroup.ae

G-058, Techno Hub 1, Silicon Oasis, Dubai,
United Arab Emirates

Managers Statements

Company Profile

Unica boya was established in 2001 in Istanbul, Turkey to provide creative solutions concerning Acrylic-Latex based sports floor covering systems, polyurethane based indoors sports hall, athletic tracks, epoxy based industrial floor coverings and anticorrosive paints & coatings.

Company Strategy

Purpose: To be a leader in the flooring industry by providing enhanced services, relationship and profitability.

Vision: To provide quality products that exceeds the expectations of our esteemed customers.

Mission statement: To build long term relationships with our customers and clients and provide exceptional customer services by pursuing business through innovation and advanced technology.

Core values: We believe in treating our customers as partners. We grow through creativity, invention and innovation. We integrate honesty, integrity and business ethics into all aspects of our business functioning.

Goals: International expansion in the field of industrial and sports flooring and develop a strong base of key customers, Deliver high quality end to end sports facilities projects.



Ayhan Doruk
General Manager

Table of Contents

- 01** Managers Statements
- 02** Table of Contents
- 03** Acryfex T Systems
- 04** L'unicflex Multi
- 05** L'unicflex Indoor
- 06** Pavercoat
- 07** Projects around the globe

Since 2004, we have been the first provider in Turkey for five different systems for the ACRYFLEX T brand which are certified by the International Tennis Federation (ITF). These systems usually applied in tennis court can also be applied in volleyball, handball and hockey fields.

ACRYFLEX T court covering systems that are produced with the latest developed Acrylic Latex Technology can be applied on asphalt and concrete floors.

Available in standard eight colours




Standard System

It is composed of components that are produced with 100% pure acrylic latex polymers. It is the most economical system of the ACRYFLEX T series. It is a covering that can be used during all four seasons and that it has an aesthetical, long-lasting and textured structure with a topcoat covering colored with UV resistant pigments provide the players with an opportunity to play comfortably and with a good performance.

As it is used as a tennis court floor covering, it is also safely used in multipurpose outdoor play fields for basketball, volleyball, and handball. It is classified by ITF. As it is recommended to be used on the asphalt floor, it can also be used on suitable concrete floors after the surface preparations are made with proper primer systems.

Bright Colors, Premium Product,
Unica Quality

ACRYFLEX T SYSTEMS




1. Acrylic Primer 367-28 / AQ Primer
2. Resurfacer 367-30
3. Precoat 367-200
4. Overline 367-F



Cushion System

The system has acquired an elastic structure with a UNIRUBBER coat that was created by mixing the very special granulometric rubber powder in a 100% pure acrylic latex polymer. As with our other systems, ACRYFLEX T Cushion which is used for multipurpose outdoors provides a comfortable, safe, and high-performance game for the player thanks to its impact absorber floor feature. ACRYFLEX T Cushion which has to be applied on concrete infrastructure may also be applied on concrete floors whose surface preparation is properly made. It is classified by ITF. Its average application thickness is 3mm.




1. Acrylic Primer 367-28 / AQ Primer
2. Resurfacer 367-30
3. Unirubber 367-40
4. Precoat 367-200
5. Overline 367-F



Cushion Plus System

1. Acrylic Primer 367-28 / AQ Primer
2. Resurfacer 367-30
3. Unirubber Plus 367-40
4. Unirubber 367-40
5. Precoat 367-200
6. Overline 367-F



Speciality Products

A professional system with its impact-absorbing feature increased with 8 coats of UNIRUBBER, ACRYFLEX T Cushion Plus provides a game at a medium speed. The system creates a long lasting floor that may be used during four seasons. The combination of 8 different colors enables you to create field floors of different colors. It requires no maintenance. ACRYFLEX T Cushion Plus gives the player the joy of a professional game with its long lasting quality and comfort.



T-light System

Our new developed system which contains specific extender inside reduce the density. It gives 40% more thickness with same consumption as compared with other conventional systems.

Glosscoat 367 T

Glosscoat 367-T 100% acrylic latex polymer & clear varnish (a clear coat for the finished surface to protect from UV).



Nano System

Acryflex T Nano Cushion has been formulated with high performance Nano UV and scratch resistance additives inside.



L'unicflex™



Sandwich System


L'unicflex Multi

This is the system that is used in tartan tracks most commonly and is also known as the sandwich system. A mix of special granulometric recycle rubber and elastic polyurethane is spread on the floor at a desired thickness with the help of a paving machine on the application field. Supporting it with 2K elastic polyurethane sealer and self-leveling systems and spreading granulometric EPDM above at desired thickness and colors, the lane lines are applied and the process is finished.

L'UNICFLEX MULTI is a system has the World Athletics certificate and contains Elastic Polyurethane components. It provides floors that have high performance and long life and no requirement for maintenance.



Play Grounds
L'unicflex Multi 2S



Running Tracks
L'unicflex Multi 2S



Walking Paths
L'unicflex Multi 2S

L'UNICFLEX 2S is a 16mm prepolymer binded two layers system with an 8mm recycled SBR shock pad finished with a high quality 8mm EPDM surface. It is designed as a multi-surface so that it's very suitable for basketball, tennis, badminton, futsal in schools or urban areas .


L'unicflex Pro & Spray Coat

1. L'unicflex Pro is an athleticism track floor covering also called as the Full Polyurethane system. It is an ideal system for sprinter and long distance racers. Mainly used for sports tracks in schools and leisure facilities.
2. L'unicflex Spray Coat combination of recycled granules and high quality elastic prepolymer and a PUR spray coating as a top layer makes it highly durable as well as a cost-save solution.

L'unicflex Indoor & Outdoor

Tested at Accredited lab CST and approved according to BS EN 14904:2006, The European Standards for sports areas-Indoor surfaces for multi-sports use".

The safe and versatile system is designed especially for indoor Basketball, Volleyball, handball, futsal, badminton, kids playground. The granular rubber mat and the self-leveling polyurethane resin based finish make the surface elastic and resistant.



The system reduces the risks of slipping, reduces muscle fatigue and ensures better ball bounce thanks to the application by casting/prefabricated mat which produces a seamless surface which maintains its technical performance over the years. The system also ensures excellent acoustic comfort and perfect resilient which meets requested force reduction and deformation.

**Meets Fiba Requirements*

Product Characteristics

1. Comfort
2. Safety
3. Multipurpose use
4. Resistant
5. Easy to repair
6. Better cushioning
7. Temperature protection
8. Anti skid
9. Less maintenance

Application Areas

1. Professional and amateur purposes
2. Training facilities
3. Multipurpose courts
4. Indoors and outdoors
5. Schools and colleges
6. Club Houses
7. Gym
8. Corporate offices
9. Residential societies and apartments





Pavercoat 43 Green Product with 0 VOC

PAVERCOAT 43® is an ultra high reflectance Epoxy modified Pure Acrylic coating for use in multipurpose flooring systems. The high reflectance of PAVERCOAT 43® is engineered to lower air conditioning energy costs.

PAVERCOAT 43® reduces surface degradation and prolongs the life of the surface it is applied to, significantly lowering the life-cycle costs of the roof.

Pavercoat 43®

Epoxy modified Pure Acrylic coating



What are S.R.I Figures?

Solar reflectance index (SRI), is another measurement beginning to get some attention as a numerical expression of a coating's overall ability to reject solar heat. Pavercoat 43 is an advanced coating for Asphalt with certain colours which have been verified to have SRI (Solar Reflective Index) greater than 29.

- Ultra-High Reflectance
- Seamless Waterproofing
- Fully-Adhered Installation
- Durable & Renewable
- Guaranteed to Prolong Surface Life
- Cooling Energy Savings
- Reduced Life-Cycle Costs
- Zero VOC Green Product




ACRYFLEX-T CUSHION SYSTEM, EGYPT



ACRYFLEX-T STANDARD SYSTEM, RHODES ISLAND




ACRYFLEX-T LIGHT SYSTEM, EGYPT



LUNICFLEX MULTI, ABU DHABI



LUNICFLEX MULTI, DUBAI



LUNICFLEX MULTI, ABU DHABI




ACRYFLEX-T CUSHION SYSTEM, MOROCCO




ACRYFLEX-T CUSHION SYSTEM, MOROCCO




ACRYFLEX-T CUSHION SYSTEM, MOROCCO



LUNICFLEX MULTI, KSA




LUNICFLEX MULTI, QATAR



LUNICFLEX MULTI, TURKEY



ACRYFLEX-T CUSHION SYSTEM, MOROCCO



ACRYFLEX-T CUSHION SYSTEM, MOROCCO



ACRYFLEX-T CUSHION SYSTEM, SERBIA



LUNICFLEX MULTI, TURKEY



LUNICFLEX MULTI, TURKEY



LUNICFLEX, DUBAI



ACRYFLEX-T CUSHION SYSTEM, MOROCCO




ACRYFLEX-T STANDARD SYSTEM, IZMIR



PAVERCOAT, ABU DHABI



LUNICFLEX, TURKEY




LUNICFLEX, MOROCCO




LUNICFLEX, IRAQ



PAVERCOAT, TURKEY



PAVERCOAT, TURKEY



PAVERCOAT, TURKEY



LUNICFLEX, MOROCCO



LUNICFLEX, MOROCCO



LUNICFLEX, TURKEY



T: +971 55 560 8726 | P: +971 4 339 8019
E: sales@versatilegroup.ae
G-058, Techno Hub 1, Silicon Oasis, Dubai,
United Arab Emirates